



1

BILL OF MATERIAL

ITEM	QTY	DESCRIPTION	MATERIAL
1	1	BODY	ASTM A216, WCB
2	1	PLUG	ASTM A216, WCB
3	1	EZ COVER	ASTM A216, WCB
4	1	LINING	PFA
5	1	COMBINED DELTA RING & DIAPHRAGM	PTFE
6	1	METAL DIAPHRAGM	304 S.S
7	1	EZ CAM	ASTM A890, CD4MCU
8	4	COVER BOLT	ASTM A193, GR.B7
9	1	EZ BRACKET	ASTM A351, CF8
10	1	FLUOROSEAL WRENCH	ASTM A216, GR.WCB
11	1	WRENCH BOLT	CARBON STEEL
12	1	EZ LOCK	ASTM A351, CF8
13	4	BRACKET BOLT	STAINLESS STEEL
14	1	ADJUSTMENT SCREW	304 S.S.

2

DETAIL A
N.T.S.

3

TECHNICAL DATA

SIZE	CLASS	L	H	D	K	g	b	f	d	j	Q
1/2"	150	4.33	6.0	3.50	2.38	1.38	.38	.06	.63	4	8.3
3/4"	150	4.63	6.0	3.88	2.75	1.69	.41	.06	.63	4	8.3
1"	150	5.00	6.0	4.25	3.13	2.00	.44	.06	.63	4	8.3
1 1/2"	150	6.50	7.2	5.00	3.88	2.88	.56	.06	.63	4	10.3
2"	150	7.00	7.9	6.00	4.75	3.63	.63	.06	.75	4	24.3
2 1/2"	150	8.00	8.4	7.50	5.50	4.13	.75	.06	.75	4	24.3
3"	150	8.00	8.4	7.50	6.00	5.00	.75	.06	.75	4	24.3
4"	150	9.00	9.9	9.00	7.50	6.19	.94	.06	.75	8	24.3

4

NOTE:
1. VALVE IS TESTED AS PER API 598 AND B16.34.

REV	DESCRIPTION	DATE	DFTR	APVD
B	SEE #ECN-0547	2008/04/07	K.D.	S.E.
A	SEE #ECN-0428	2006/12/01	M.B.	A.R.
O	SEE #NPD-0187	2005/09/13	S.C.	A.R.

1

REVISION

SIZE	DWG NO.	REV
A	FPS-L152-F-STD-07-13	B

TITLE:
FLUOROSEAL LINED PLUG VALVE
1" - 4" 152F STANDARD CONFIGURATION
ASSEMBLY W/WRENCH

DRAWN BY: K.DEBCHI	DATE: 2008/04/07	SCALE: N.T.S.
CHKD BY: S.ELFASHNY	DATE: 2008/04/07	SHEET: 1/1

THIRD ANGLE PROJECTION DO NOT SCALE DRAWING

This drawing and the information herein contained is the property of FluoroSeal Specialty Valves and/or its subsidiaries and is supplied upon the express conditions that the same be returned to FluoroSeal Specialty Valves upon request; all information herein contained is to be treated as secret and confidential; no reproduction of this drawing or any part thereof shall be made without the written permission of FluoroSeal Specialty Valves; acceptance of this drawing shall be deemed acceptance of the foregoing conditions.

FluoroSeal SPECIALTY VALVES
1875, 46e Avenue Lachine
Montreal QC, H8T 2N8
TEL: (514)739-0220
FAX: (514)739-5452

D
C
B
A

D
C
B
A